

SPECIFICATION SHEET

VERSION 5 VERSION DATE 29/10/21 PRINT DATE 23/04/25

PRODUCT ALDEHYDE C-16
APPLICATIONS Industrial raw material not intended for direct use.
IUPAC NAME ALFA-BETA-EPOXI-BETA-METILFENILPROPIONATO DE ETILO
SYNONYMS ETHYL-ALPHA-BETA-EPOXY-BETA-METHYLPHENYLPROPIONATE

FORMULA $C_{12}H_{14}O_3$
MOLECULAR WEIGHT 206
CAS 77-83-8
EINECS 201-061-8
FEMA 2444
CoE 6002
FDA 182.60
TARIFF NUMBER 2918999015
KOSHER CERTIFICATE AVAILABLE ON REQUEST
FOOD GRADE CERTIFICATE AVAILABLE ON REQUEST

SPECIFICATIONS

VERSION 5 VERSION DATE 29/10/21

ASPECT AT 20°C CLEAR MOBILE LIQUID
COLOUR COLORLESS TO PALE YELLOW
ODOUR FRUITY, STRAWBERRY-LIKE
DENSITY AT 20°C (g / ml) 1,088-1,094
DENSITY 25/25 1,086-1,096
REFRACTIVE INDEX nD20 1,5040-1,5070
REFRACTIVE INDEX nD25 -
OPTICAL ROTATION (°) /
BOILING POINT (°C) 153,0 - 159,0°C (20 mmHg)
MELTING POINT (°C) -
FLASH POINT (°C) 111
ASSAY (% GC) SUM > 98 (CIS:37-48; TRANS:46-62)
ACID VALUE (mg KOH/g) < 2
SOLUBILITY INSOLUBLE IN WATER
VAPOUR PRESSURE 0,18 mmHg (97°C)
OTHER SOLUBILITIES SOLUBLE IN ETHANOL

OTHER TECHNICAL DATA ETHYL 2,3-EPOXY-3-PHENYLBUTYRATE

STABILITY AND STORAGE

KEEP IN TIGHTLY CLOSED CONTAINER IN A COOL AND DRY PLACE, PROTECTED FROM LIGHT. WHEN STORED FOR MORE THAN 24 MONTHS, QUALITY SHOULD BE CHECKED BEFORE USE.

WE BELIEVE THE ABOVE INFORMATION TO BE CORRECT BUT WE DO NOT PRESENT IT AS ALL INCLUSIVE AND AS SUCH SHOULD BE USED AS A GUIDE. IT IS THE SOLE RESPONSIBILITY OF THE RECEIVER OF OUR PRODUCT TO COMPLY WITH EXISTING REGULATIONS AND INSTRUCTIONS. THIS PRODUCT HAS NOT BEEN FILTERED DUE TO TECHNICAL REASONS. WE RECOMMEND NOT TO USE IT UNLESS FILTERED WHEN USED AS A RAW MATERIAL IN FOOD INTENDED FOR FINAL CONSUMERS.

PRODASYNTH SAS

Capital : 1.100.000 Euros · R.C.S.: GRASSE B 349 236 372 00026 TVA FR 03 349 236 372 APE 2053 Z

PI DES BOIS DE GRASSE 4 AV. JOSEPH HONORÉ ISNARD · 06130 GRASSE · FRANCE · Tel: +33 0493090011 · Fax: +33 0422130738 · e-mail: info@prodasynt.com