

SPECIFICATION SHEET

VERSION 1 VERSION DATE 06/09/17 PRINT DATE 25/04/24

PRODUCT RESINOIDE ELEMİ 50% DPG
APPLICATIONS Industrial raw material not intended for direct use.
IUPAC NAME ELEMİ RESINOİD WITH SOLVENT (DIPROPYLENGLYCOL)
SYNONYMS ELEMİ RESINOİD WITH SOLVENT (DIPROPYLENE GLYCOL)

PLANT OF ORIGIN Burceraceae Canarium L
CAS 9000-75-3
CAS 2 97675-63-3
EINECS 232-557-2
TARIFF NUMBER 3302909000

SPECIFICATIONS

ASPECT AT 20°C	SOLID MASS
COLOUR	PALE YELLOW
ODOUR	FRESH CITRUS LEMON LIKE, BALSAMIC,
DENSITY AT 20°C (g / ml)	-
DENSITY 25/25	-
REFRACTIVE INDEX nD20	-
REFRACTIVE INDEX nD25	-
OPTICAL ROTATION (°)	/
BOILING POINT (°C)	-
MELTING POINT (°C)	87 - 90
FLASH POINT (°C)	65
ASSAY (% GC)	-
ACID VALUE (mg KOH/g)	< 30
SOLUBILITY	INSOLUBLE IN WATER
VAPOUR PRESSURE	NOT DETERMINED
OTHER SOLUBILITIES	SOLUBLE IN ETHANOL

OTHER TECHNICAL DATA FOR YOUR EASY HANDLING, WE RECOMMEND HEATING (AT 90°C) FOR ONE DAY, WHICH MAKES IT LIQUID FORM. DIPROPYLENE GLYCOL CAS# 25265-71-8

STABILITY AND STORAGE

KEEP IN TIGHTLY CLOSED CONTAINER IN A COOL AND DRY PLACE, PROTECTED FROM LIGHT. WHEN STORED FOR MORE THAN 24 MONTHS, QUALITY SHOULD BE CHECKED BEFORE USE.
FOR YOUR EASY HANDLING, WE RECOMMEND HEATING (AT 90°C) FOR ONE DAY, WHICH MAKES IT LIQUID FORM.

WE BELIEVE THE ABOVE INFORMATION TO BE CORRECT BUT WE DO NOT PRESENT IT AS ALL INCLUSIVE AND AS SUCH SHOULD BE USED AS A GUIDE. IT IS THE SOLE RESPONSIBILITY OF THE RECEIVER OF OUR PRODUCT TO COMPLY WITH EXISTING REGULATIONS AND INSTRUCTIONS.

PRODASYNTH SAS

Capital : 1.100.000 Euros · R.C.S.: GRASSE B 349 236 372 00026 TVA FR 03 349 236 372 APE 2053 Z

PI DES BOIS DE GRASSE 4 AV. JOSEPH HONORÉ ISNARD · 06130 GRASSE · FRANCE · Tel: +33 0493090011 · Fax: +33 0422130738 · e-mail: info@prodasynt.com