

**RESINOIDE BENJOIN SUMATRA**

Revision date: 19-06-2019  
Version: 3.0/CLP/EN

Print Date: 28-04-2024  
Page: 1 / 6

**SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING**

**1.1. Identification of the substance/mixture**

**Trade name:** RESINOIDE BENJOIN SUMATRA  
**Substance name:** BENZOIN RESINOID  
**CAS Number:** 9000-05-9  
**CE Number:** 232-523-7  
**REACH Registration number:** Exempt from registration (imported/manufactured < 1 ton/year)

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Raw material for the manufacture of fragrances and/or flavourings.

**1.3. Details of the supplier of the safety data sheet**

**Company:** Prodasynt  
**Address:** 4 Av. Joseph Honoré Isnard  
06130 GRASSE – FRANCE  
**Telephone:** (00 33) 4 93 09 00 11  
**Fax:** (00 33) 4 22 13 07 38  
**E-mail:** info@prodasynt.com

**1.4. Emergency telephone number**

(00 33) 4 93 09 00 11 (8:30 - 17:30)  
National emergency information services:  
**FR:** (+33) 1 45 42 59 59 (24h/7)

**SECTION 2. HAZARDS IDENTIFICATION**

**2.1. Classification of the substance or mixture**

Serious eye damage - Category 1 - H318  
Skin sensitizer - Category 1B - H317  
Specific target organ toxicity following repeated exposure - Category 2 - H373

**2.2. Label Elements**

**Hazard pictograms:**



**Signal Word:**  
Danger

**Hazard statements:**

H317 – May cause an allergic skin reaction.  
H318 – Causes serious eye damage.  
H373 – May cause damage to organs through prolonged or repeated exposure.

**Precautionary statements:**

P260 – Do not breathe dust/fume/gas/mist/vapours/spray.  
P280 – Wear protective gloves/protective clothing/eye protection/face protection.  
P302+P352+P333+P313 – IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.  
P305+P351+P338+P310 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.  
P314 – Get medical advice/attention if you feel unwell.  
P362+P364 – Take off contaminated clothing and wash it before reuse.

**Supplemental Hazard Information:**

Contains BENZYL CINNAMATE. May produce an allergic reaction.

**2.3. Other hazards**

Product not containing any component that meets the criteria for PBT or vPvB according to Regulation (EC) 1907/2006, Annex XIII.  
Product not containing any component identified as having endocrine disrupting properties according to Regulation (EU) 2017/2100.

**PRODASYNTH SAS**

Capital : 1.100.000 Euros · R.C.S.: GRASSE B 349 236 372 00026 TVA FR 03 349 236 372 APE 2053 Z  
PI DES BOIS DE GRASSE 4 AV. JOSEPH HONORÉ ISNARD · 06130 GRASSE · FRANCE · Tel: +33 0493090011 · Fax: +33 0422130738 · e-mail: info@prodasynt.com

**RESINOIDE BENJOIN SUMATRA**

Revision date: 19-06-2019  
Version: 3.0/CLP/EN

Print Date: 28-04-2024  
Page: 2 / 6

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

**3.1. Substances**

Chemical name: BENZOIN RESINOID  
CAS number: 9000-05-9  
EC number: 232-523-7

**Hazardous constituents:**

Chemical Name	% (w/w)	CAS No. EC No. Index No.	Classification according to Regulation 1272/2008	Specific Concentration Limit, M-factor, ATE, SVHC
BENZYL ALCOHOL	≥25; <50	100-51-6 202-859-9 603-057-00-5(ATP 19)	Acute Tox. 4 (oral) - H302 Acute Tox. 4 (inhalation) - H332 Eye Irrit. 2 - H319	ATE (oral): 1620 mg/kg, ATE (dermal): 2500 mg/kg, ATE (inh, vapour): 11 mg/L
CINNAMIC ACID	≥10; <25	621-82-9 210-708-3	Eye Irrit. 2 - H319 STOT RE 2 - H373	ATE (oral): 3570 mg/kg
BENZOIC ACID	≥1; <10	65-85-0 200-618-2	Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT RE 1 - H372	ATE (oral): 2565 mg/kg
VANILLIN	≥1; <10	121-33-5 204-465-2	Eye Irrit. 2 - H319	ATE (oral): 3300 mg/kg, ATE (dermal): 2600 mg/kg
BENZYL CINNAMATE	≥1; <10	103-41-3 203-109-3	Skin Sens. 1B - H317 Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411	ATE (oral): 3280 mg/kg
BENZYL BENZOATE	≥1; <10	120-51-4 204-402-9 607-085-00-9(ATP 31)	Acute Tox. 4 (oral) - H302 Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411	ATE (oral): 1160 mg/kg

See the full text of the hazard statements in section 16.

**3.2. Mixtures**

Not applicable.

**SECTION 4. FIRST-AID MEASURES**

**4.1. Description of necessary first aid measures**

Ingestion: Rinse mouth with water.  
Obtain medical advice.  
Keep at rest. Do not induce vomiting.

Eye contact: In case of contact with eyes, rinse immediately with plenty of water for at least 15 minutes and seek medical advice.

Inhalation: Remove person to fresh air and keep at rest.  
Seek immediate medical advice.

Skin contact: Take off immediately all contaminated clothing.  
Thoroughly wash affected skin with soap and water.  
Seek medical attention if symptoms persist.

**4.2. Most important symptoms and effects, both acute and delayed**

No information available.

**4.3. Indication of any immediate medical attention and special treatment needed**

No information available.

**SECTION 5. FIRE-FIGHTING MEASURES**

**5.1. Extinguishing Media**

Water spray, carbon dioxide, dry chemical powder or appropriate foam.  
For safety reasons do not use full water jet.

**5.2. Special hazards arising from the substance or mixture**

Known or Anticipated Hazardous Products of Combustion: Emits toxic fumes under fire conditions.

**5.3. Advice for firefighters**

High temperatures can lead to high pressures inside closed containers.  
Avoid inhalation of vapors that are created. Use appropriate respiratory protection.  
Do not allow spillage of fire to be poured into drains or watercourses.  
Wear self-contained breathing apparatus and protective clothing.

**PRODASYNTH SAS**

Capital : 1.100.000 Euros · R.C.S.: GRASSE B 349 236 372 00026 TVA FR 03 349 236 372 APE 2053 Z  
PI DES BOIS DE GRASSE 4 AV. JOSEPH HONORÉ ISNARD · 06130 GRASSE · FRANCE · Tel: +33 0493090011 · Fax: +33 0422130738 · e-mail: info@prodasynt.com

**RESINOIDE BENJOIN SUMATRA**

Revision date: 19-06-2019

Version: 3.0/CLP/EN

Print Date: 28-04-2024

Page: 3 / 6

## SECTION 6. ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate surrounding areas. Ensure adequate ventilation. Keep unnecessary and unprotected personnel from entering. Do not breathe vapor/spray. Avoid contact with skin and eyes. Information regarding personal protective measures: see section 8.

### 6.2. Environmental precautions

To avoid possible contamination of the environment, do not discharge into any drains, surface waters or groundwaters.

### 6.3. Methods and materials for containment and cleaning up

Cover with an inert, inorganic, non-combustible absorbent material (e.g. dry-lime, sand, soda ash).

Place in covered containers using non-sparking tools and transport outdoors.

Avoid open flames or sources of ignition (e.g. pilot lights on gas hot water heater).

Ventilate area and wash spill site after material pickup is complete.

### 6.4. Reference to other sections

Information regarding exposure controls, personal protection and disposal considerations can be found in sections 8 and 13.

## SECTION 7. HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Do not store or handle this material near food or drinking water. Do not smoke.

Avoid contact with the eyes, skin and clothing. Wear protective clothing and use glasses.

Observe the rules of safety and hygiene at work.

Keep in the original container or an alternative made from a compatible material.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed and preferably full containers in a cool, dry and ventilated area, protected from light.

Keep away from sources of ignition (e.g. hot surfaces, sparks, flame and static discharges).

Keep away from incompatible materials (see section 10).

### 7.3. Specific end use(s)

No information available.

## SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

### 8.1. Control parameters

Components with occupational exposure limits:

Chemical Name	CAS No.	Norm.	8 hr.			15 min.		
				ppm	mg/m <sup>3</sup>		ppm	mg/m <sup>3</sup>
BENZYL ALCOHOL	100-51-6	DE (Deutschland)	AGW	5	22	AGW		
BENZOIC ACID	65-85-0	DE (Deutschland)	AGW	0.1	0.5	AGW		

### 8.2. Exposure controls

Appropriate engineering controls:

Measures should be taken to prevent materials from being splashed into the body.

Provide adequate ventilation, according to the conditions of use. Use a mechanical exhaust if required.

Eye/Face protection:

Chemical safety goggles are recommended. Wash contaminated goggles before reuse.

Hand Protection:

Chemical-resistant gloves are recommended. Wash contaminated gloves before reuse.

Body protection:

Personal protective equipment for the body should be selected based on the task being performed and the risks involved.

Respiratory Protection:

In case of insufficient ventilation, use suitable respiratory equipment.

Environmental exposure controls:

Emissions from ventilation or process equipment should be checked to ensure they comply with environmental protection legislation.

In some cases, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Physical state:

Solid

Colour:

Conforms to standard

Odour:

Conforms to standard

#### PRODASYNT SAS

Capital : 1.100.000 Euros · R.C.S.: GRASSE B 349 236 372 00026 TVA FR 03 349 236 372 APE 2053 Z

PI DES BOIS DE GRASSE 4 AV. JOSEPH HONORÉ ISNARD · 06130 GRASSE · FRANCE · Tel: +33 0493090011 · Fax: +33 0422130738 · e-mail: info@prodasynt.com

**RESINOIDE BENJOIN SUMATRA**

Revision date: 19-06-2019

Version: 3.0/CLP/EN

Print Date: 28-04-2024

Page: 4 / 6

Melting point/freezing point:	Not determined
Boiling point or initial boiling point and range (°C):	Not determined
Flammability:	Not determined
Lower and upper explosion limit:	Not determined
Flash point:	101 °C
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
pH:	Not determined
Kinematic viscosity:	Not determined
Solubility:	INSOLUBLE IN WATER/SOLUBLE IN ETHANOL
Partition coefficient n-octanol/water (log value):	Not determined
Vapour pressure:	Not determined
Density and/or relative density:	/
Relative vapour density:	Not determined
Particle characteristics:	Not determined

**9.2. Other information**

**9.2.1. Information with regard to physical hazard classes:**

No information available.

**9.2.2. Other safety characteristics:**

No information available

**SECTION 10. STABILITY AND REACTIVITY**

**10.1. Reactivity**

No hazardous reactions if stored and handled as prescribed/indicated.

**10.2. Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

**10.3. Possibility of hazardous reactions**

No hazardous reactions if stored and handled as prescribed/indicated.

**10.4. Conditions to Avoid**

Conditions to Avoid: Excessive heat, flame or other ignition sources.

**10.5. Incompatible materials**

Avoid contact with strong acids and bases and oxidizing agents.

**10.6. Hazardous decomposition products**

During combustion may form carbon monoxide and unidentified organic compounds.

**SECTION 11. TOXICOLOGICAL INFORMATION**

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

<b>Acute toxicity</b>	Based on the data available, the criteria for classification are not met.
<b>Skin corrosion/irritation</b>	Based on the data available, the criteria for classification are not met.
<b>Serious eye damage/irritation</b>	Causes serious eye damage.
<b>Respiratory or skin sensitisation</b>	May cause an allergic skin reaction.
<b>Germ cell mutagenicity</b>	Based on the data available, the criteria for classification are not met.
<b>Carcinogenicity</b>	Based on the data available, the criteria for classification are not met.
<b>Reproductive toxicity</b>	Based on the data available, the criteria for classification are not met.
<b>STOT-single exposure</b>	Based on the data available, the criteria for classification are not met.
<b>STOT-repeated exposure</b>	May cause damage to organs through prolonged or repeated exposure.
<b>Aspiration hazard</b>	Based on the data available, the criteria for classification are not met.

**11.2. Information on other hazards**

**11.2.1. Endocrine disrupting properties:**

Product not containing any component identified as having endocrine disrupting properties according to Regulation (EU) 2017/2100.

**11.2.2. Other information:**

No information available

**PRODASYNTH SAS**

Capital : 1.100.000 Euros · R.C.S.: GRASSE B 349 236 372 00026 TVA FR 03 349 236 372 APE 2053 Z

PI DES BOIS DE GRASSE 4 AV. JOSEPH HONORÉ ISNARD · 06130 GRASSE · FRANCE · Tel: +33 0493090011 · Fax: +33 0422130738 · e-mail: info@prodasynt.com

**RESINOIDE BENJOIN SUMATRA**

Revision date: 19-06-2019

Version: 3.0/CLP/EN

Print Date: 28-04-2024

Page: 5 / 6

## SECTION 12. ECOLOGICAL INFORMATION

### 12.1. Toxicity

**Assessment:**

Based on the data available, the criteria for classification are not met.

**Experimental/calculated data:**

No information available.

### 12.2. Persistence and degradability

No information available.

### 12.3. Bioaccumulative potential

No information available.

### 12.4. Soil mobility

No information available.

### 12.5. Results of PBT and vPvB assessment

Product not containing any component that meets the criteria for PBT or vPvB according to Regulation (EC) 1907/2006, Annex XIII.

### 12.6. Endocrine disrupting properties

Product not containing any component identified as having endocrine disrupting properties according to Regulation (EU) 2017/2100.

### 12.7. Other adverse effects

See also sections 6, 7, 13 and 15

Do not allow to get into waste water or waterways.

## SECTION 13. DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

Dispose of in accordance with national and local environmental regulations.

## SECTION 14: TRANSPORT INFORMATION

	ADR/RID/ADN	IMDG	IATA-ICAO
<b>14.1. UN Number</b>	Not classified as hazardous goods	Not classified as hazardous goods	Not classified as hazardous goods
<b>14.2. UN Proper Shipping Name</b>	Not applicable	Not applicable	Not applicable
<b>14.3. Transport Hazard Class(es)</b>	Not applicable	Not applicable	Not applicable
<b>14.4. Packing Group</b>	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>	No	No	No
<b>Additional information</b>			

### 14.6 Special precautions for user

None known

### 14.7. Maritime transport in bulk according to IMO instruments

No information available

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No information available

### 15.2. Chemical safety assessment

No information available

## SECTION 16: OTHER INFORMATION

### Full text of the R-phrases, hazard statements and precautionary statements mentioned in section 3:

H302 – Harmful if swallowed.

H315 – Causes skin irritation.

H317 – May cause an allergic skin reaction.

H318 – Causes serious eye damage.

H319 – Causes serious eye irritation.

H332 – Harmful if inhaled.

H372 – Causes damage to organs through prolonged or repeated exposure.

H373 – May cause damage to organs through prolonged or repeated exposure.

H400 – Very toxic to aquatic life.

H411 – Toxic to aquatic life with long lasting effects.

### PRODASYNTH SAS

Capital : 1.100.000 Euros · R.C.S.: GRASSE B 349 236 372 00026 TVA FR 03 349 236 372 APE 2053 Z

PI DES BOIS DE GRASSE 4 AV. JOSEPH HONORÉ ISNARD · 06130 GRASSE · FRANCE · Tel: +33 0493090011 · Fax: +33 0422130738 · e-mail: info@prodasynt.com

**RESINOIDE BENJOIN SUMATRA**

Revision date: 19-06-2019

Version: 3.0/CLP/EN

Print Date: 28-04-2024

Page: 6 / 6

The information included in this safety data sheet is based on the available data at the moment this document is issued. It is meant to be a description of safety requirements for our product and does not stand for a guarantee of its properties. The user is responsible for taking all necessary steps leading to compliance with local rules and legislation.

**PRODASYNTH SAS**

Capital : 1.100.000 Euros · R.C.S.: GRASSE B 349 236 372 00026 TVA FR 03 349 236 372 APE 2053 Z

PI DES BOIS DE GRASSE 4 AV. JOSEPH HONORÉ ISNARD · 06130 GRASSE · FRANCE · Tel: +33 0493090011 · Fax: +33 0422130738 · e-mail: [info@prodasynt.com](mailto:info@prodasynt.com)