

**ACETATE D'ETHYLE**  
Revision date: 23-01-2023  
Version: 4.0/CLP/EN

Print Date: 01-04-2023  
Page: 1 / 5

## SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

### 1.1. Identification of the substance/mixture

**Trade name:** ACETATE D'ETHYLE  
**Substance name:** ETHYL ACETATE  
**CAS Number:** 141-78-6  
**CE Number:** 205-500-4  
**REACH Registration number:** 01-2119475103-46

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Raw material for the manufacture of fragrances and/or flavourings.

### 1.3. Details of the supplier of the safety data sheet

**Company:** Prodasynt  
**Address:** 4 Av. Joseph Honoré Isnard  
06130 GRASSE – FRANCE  
**Telephone:** (00 33) 4 93 09 00 11  
**Fax:** (00 33) 4 22 13 07 38  
**E-mail:** info@prodasynt.com

### 1.4. Emergency telephone number

(00 33) 4 93 09 00 11 (8:30 - 17:30)  
National emergency information services:  
**FR: (+33) 1 45 42 59 59 (24h/7)**

## SECTION 2. HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

Flammable Liquids - Category 2 - H225  
Eye Irritant - Category 2 - H319  
Specific target organ toxicity following single exposure - Category 3 (narcotic effects) - H336

### 2.2. Label Elements

**Hazard pictograms:**



**Signal Word:**

Danger

**Hazard statements:**

EUH066 – Repeated exposure may cause skin dryness or cracking.  
H225 – Highly flammable liquid and vapour.  
H319 – Causes serious eye irritation.  
H336 – May cause drowsiness or dizziness.

**Precautionary statements:**

P210 – Keep away from heat/sparks/open flames/hot surfaces. — No smoking.  
P233 – Keep container tightly closed.  
P261 – Avoid breathing dust/fume/gas/mist/vapours/spray.  
P280 – Wear protective gloves/protective clothing/eye protection/face protection.  
P305+P351+P338+P337+P313 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice/attention.

### 2.3. Other hazards

Product not containing any component that meets the criteria for PBT or vPvB according to Regulation (EC) 1907/2006, Annex XIII.  
Product not containing any component identified as having endocrine disrupting properties according to Regulation (EU) 2017/2100.

## PRODASYNTH SAS

Capital : 1.100.000 Euros · R.C.S.: GRASSE B 349 236 372 00026 TVA FR 03 349 236 372 APE 2053 Z  
PI DES BOIS DE GRASSE 4 AV. JOSEPH HONORÉ ISNARD · 06130 GRASSE · FRANCE · Tel: +33 0493090011 · Fax: +33 0422130738 · e-mail: info@prodasynt.com

**ACETATE D'ETHYLE**

 Revision date: 23-01-2023  
 Version: 4.0/CLP/EN

 Print Date: 01-04-2023  
 Page: 2 / 5

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**
**3.1. Substances**

 Chemical name: ETHYL ACETATE  
 CAS number: 141-78-6  
 EC number: 205-500-4

**Hazardous constituents:**

Chemical Name	% (w/w)	CAS No. EC No. Index No.	Classification according to Regulation 1272/2008	Specific Concentration Limit, M-factor, ATE, SVHC
ETHYL ACETATE	≥50	141-78-6 205-500-4 607-022-00-5(ATP 30)	Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 STOT SE 3 (narc.) - H336	

See the full text of the hazard statements in section 16.

**3.2. Mixtures**

Not applicable.

**SECTION 4. FIRST-AID MEASURES**
**4.1. Description of necessary first aid measures**

Ingestion: Rinse mouth with water.  
 Obtain medical advice.  
 Keep at rest. Do not induce vomiting.

Eye contact: In case of contact with eyes, rinse immediately with plenty of water for at least 15 minutes and seek medical advice.

Inhalation: Remove person to fresh air and keep at rest.  
 Seek immediate medical advice.

Skin contact: Take off immediately all contaminated clothing.  
 Thoroughly wash affected skin with soap and water.  
 Seek medical attention if symptoms persist.

**4.2. Most important symptoms and effects, both acute and delayed**

No information available.

**4.3. Indication of any immediate medical attention and special treatment needed**

No information available.

**SECTION 5. FIRE-FIGHTING MEASURES**
**5.1. Extinguishing Media**

 Water spray, carbon dioxide, dry chemical powder or appropriate foam.  
 For safety reasons do not use full water jet.

**5.2. Special hazards arising from the substance or mixture**

Known or Anticipated Hazardous Products of Combustion: Emits toxic fumes under fire conditions.

**5.3. Advice for firefighters**

 High temperatures can lead to high pressures inside closed containers.  
 Avoid inhalation of vapors that are created. Use appropriate respiratory protection.  
 Do not allow spillage of fire to be poured into drains or watercourses.  
 Wear self-contained breathing apparatus and protective clothing.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**
**6.1. Personal precautions, protective equipment and emergency procedures**

 Evacuate surrounding areas. Ensure adequate ventilation. Keep unnecessary and unprotected personnel from entering.  
 Do not breathe vapor/spray. Avoid contact with skin and eyes. Information regarding personal protective measures: see section 8.

**6.2. Environmental precautions**

To avoid possible contamination of the environment, do not discharge into any drains, surface waters or groundwaters.

**PRODASYNTH SAS**

 Capital : 1.100.000 Euros · R.C.S.: GRASSE B 349 236 372 00026 TVA FR 03 349 236 372 APE 2053 Z  
 PI DES BOIS DE GRASSE 4 AV. JOSEPH HONORÉ ISNARD · 06130 GRASSE · FRANCE · Tel: +33 0493090011 · Fax: +33 0422130738 · e-mail: info@prodasynt.com

**ACETATE D'ETHYLE**

Revision date: 23-01-2023

Version: 4.0/CLP/EN

Print Date: 01-04-2023

Page: 3 / 5

**6.3. Methods and materials for containment and cleaning up**

Cover with an inert, inorganic, non-combustible absorbent material (e.g. dry-lime, sand, soda ash).

Place in covered containers using non-sparking tools and transport outdoors.

Avoid open flames or sources of ignition (e.g. pilot lights on gas hot water heater).

Ventilate area and wash spill site after material pickup is complete.

**6.4. Reference to other sections**

Information regarding exposure controls, personal protection and disposal considerations can be found in sections 8 and 13.

**SECTION 7. HANDLING AND STORAGE**
**7.1. Precautions for safe handling**

Do not store or handle this material near food or drinking water. Do not smoke.

Avoid contact with the eyes, skin and clothing. Wear protective clothing and use glasses.

Observe the rules of safety and hygiene at work.

Keep in the original container or an alternative made from a compatible material.

**7.2. Conditions for safe storage, including any incompatibilities**

Store in tightly closed and preferably full containers in a cool, dry and ventilated area, protected from light.

Keep away from sources of ignition (e.g. hot surfaces, sparks, flame and static discharges).

Keep away from incompatible materials (see section 10).

**7.3. Specific end use(s)**

No information available.

**SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION**
**8.1. Control parameters**

Components with occupational exposure limits:

Chemical Name	CAS No.	Norm.	8 hr.			15 min.		
			ppm	mg/m <sup>3</sup>		ppm	mg/m <sup>3</sup>	
ETHYL ACETATE	141-78-6	DE (Deutschland)	AGW	200	730	AGW		
		ES (España)	VLA-ED	200	734	VLA-EC	400	1468
		IT (Italia)	Valori Limite	200	734	Valori Limite	400	1468
		UK (United Kingdom)	Workplace exposure limit	200	734	Workplace exposure limit	400	1468
		OSHA	PEL-TWA	400	1400	PEL-STEL		
		Cal OSHA	PEL-TWA	400	1400	PEL-STEL		

**8.2. Exposure controls**

Appropriate engineering controls:

Measures should be taken to prevent materials from being splashed into the body.

Provide adequate ventilation, according to the conditions of use. Use a mechanical exhaust if required.

Eye/Face protection:

Chemical safety goggles are recommended. Wash contaminated goggles before reuse.

Hand Protection:

Chemical-resistant gloves are recommended. Wash contaminated gloves before reuse.

Body protection:

Personal protective equipment for the body should be selected based on the task being performed and the risks involved.

Respiratory Protection:

In case of insufficient ventilation, use suitable respiratory equipment.

Environmental exposure controls:

Emissions from ventilation or process equipment should be checked to ensure they comply with environmental protection legislation.

In some cases, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**
**9.1. Information on basic physical and chemical properties**

Physical state:

Liquid

Colour:

Conforms to standard

Odour:

Conforms to standard

Melting point/freezing point:

Not determined

Boiling point or initial boiling point and range (°C):

77.2 °C (1013 hPa)

Flammability:

Not determined

Lower and upper explosion limit:

Not determined

**PRODASYNTH SAS**

Capital : 1.100.000 Euros · R.C.S.: GRASSE B 349 236 372 00026 TVA FR 03 349 236 372 APE 2053 Z

PI DES BOIS DE GRASSE 4 AV. JOSEPH HONORÉ ISNARD · 06130 GRASSE · FRANCE · Tel: +33 0493090011 · Fax: +33 0422130738 · e-mail: info@prodasynt.com

**ACETATE D'ETHYLE**

Revision date: 23-01-2023  
Version: 4.0/CLP/EN

Print Date: 01-04-2023  
Page: 4 / 5

Flash point:	-4 °C
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
pH:	Not determined
Kinematic viscosity:	Not determined
Solubility:	87 g/l at 20°C/SOLUBLE IN ETHANOL
Partition coefficient n-octanol/water (log value):	log Pow 0,6/0,73
Vapour pressure:	101.30 hPa (20°C)
Density and/or relative density:	0,899–0,901 g/mL (20°C) / 0,899–0,901 (20°C)
Relative vapour density:	3 (AIR = 1)
Particle characteristics:	Not determined

**9.2. Other information**

**9.2.1. Information with regard to physical hazard classes:**

No information available.

**9.2.2. Other safety characteristics:**

No information available

**SECTION 10. STABILITY AND REACTIVITY**

**10.1. Reactivity**

No hazardous reactions if stored and handled as prescribed/indicated.

**10.2. Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

**10.3. Possibility of hazardous reactions**

No hazardous reactions if stored and handled as prescribed/indicated.

**10.4. Conditions to Avoid**

Conditions to Avoid: Excessive heat, flame or other ignition sources.

**10.5. Incompatible materials**

Avoid contact with strong acids and bases and oxidizing agents.

**10.6. Hazardous decomposition products**

During combustion may form carbon monoxide and unidentified organic compounds.

**SECTION 11. TOXICOLOGICAL INFORMATION**

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

<b>Acute toxicity</b>	Based on the data available, the criteria for classification are not met.
<b>Skin corrosion/irritation</b>	Based on the data available, the criteria for classification are not met.
<b>Serious eye damage/irritation</b>	Causes serious eye irritation.
<b>Respiratory or skin sensitisation</b>	Based on the data available, the criteria for classification are not met.
<b>Germ cell mutagenicity</b>	Based on the data available, the criteria for classification are not met.
<b>Carcinogenicity</b>	Based on the data available, the criteria for classification are not met.
<b>Reproductive toxicity</b>	Based on the data available, the criteria for classification are not met.
<b>STOT-single exposure</b>	May cause drowsiness or dizziness.
<b>STOT-repeated exposure</b>	Based on the data available, the criteria for classification are not met.
<b>Aspiration hazard</b>	Based on the data available, the criteria for classification are not met.
<b>Other information</b>	Repeated exposure may cause skin dryness or cracking.

**11.2. Information on other hazards**

**11.2.1. Endocrine disrupting properties:**

Product not containing any component identified as having endocrine disrupting properties according to Regulation (EU) 2017/2100.

**11.2.2. Other information:**

No information available

**SECTION 12. ECOLOGICAL INFORMATION**

**12.1. Toxicity**

**Assessment:**

Based on the data available, the criteria for classification are not met.

**Experimental/calculated data:**

**PRODASYNTH SAS**

Capital : 1.100.000 Euros · R.C.S.: GRASSE B 349 236 372 00026 TVA FR 03 349 236 372 APE 2053 Z

PI DES BOIS DE GRASSE 4 AV. JOSEPH HONORÉ ISNARD · 06130 GRASSE · FRANCE · Tel: +33 0493090011 · Fax: +33 0422130738 · e-mail: info@prodasynt.com

**ACETATE D'ETHYLE**  
Revision date: 23-01-2023  
Version: 4.0/CLP/EN

Print Date: 01-04-2023  
Page: 5 / 5

No information available.

### 12.2. Persistence and degradability

Biodegradation : 93,9%. (OECD).  
Evidence.

### 12.3. Bioaccumulative potential

No information available.

### 12.4. Soil mobility

No information available.

### 12.5. Results of PBT and vPvB assessment

Product not containing any component that meets the criteria for PBT or vPvB according to Regulation (EC) 1907/2006, Annex XIII.

### 12.6. Endocrine disrupting properties

Product not containing any component identified as having endocrine disrupting properties according to Regulation (EU) 2017/2100.

### 12.7. Other adverse effects

See also sections 6, 7, 13 and 15  
Do not allow to get into waste water or waterways.

## SECTION 13. DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

Dispose of in accordance with national and local environmental regulations.

## SECTION 14: TRANSPORT INFORMATION

	ADR/RID/ADN	IMDG	IATA-ICAO
<b>14.1. UN Number</b>	UN1173	UN1173	UN1173
<b>14.2. UN Proper Shipping Name</b>	ETHYL ACETATE	ETHYL ACETATE	ETHYL ACETATE
<b>14.3. Transport Hazard Class(es)</b>	3	3	3
<b>14.4. Packing Group</b>	II	II	II
<b>14.5. Environmental hazards</b>	No	No	No
<b>Additional information</b>			

### 14.6 Special precautions for user

None known

### 14.7. Maritime transport in bulk according to IMO instruments

No information available

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No information available

### 15.2. Chemical safety assessment

No information available

## SECTION 16: OTHER INFORMATION

### Full text of the R-phrases, hazard statements and precautionary statements mentioned in section 3:

H225 – Highly flammable liquid and vapour.  
H319 – Causes serious eye irritation.  
H336 – May cause drowsiness or dizziness.

The information included in this safety data sheet is based on the available data at the moment this document is issued. It is meant to be a description of safety requirements for our product and does not stand for a guarantee of its properties. The user is responsible for taking all necessary steps leading to compliance with local rules and legislation.

### PRODASYNTH SAS

Capital : 1.100.000 Euros · R.C.S.: GRASSE B 349 236 372 00026 TVA FR 03 349 236 372 APE 2053 Z  
PI DES BOIS DE GRASSE 4 AV. JOSEPH HONORÉ ISNARD · 06130 GRASSE · FRANCE · Tel: +33 0493090011 · Fax: +33 0422130738 · e-mail: info@prodasynt.com